



Quotation Checklist Single - Phase Pole Mount

Date: _____ Bid Due Date: _____

End User: _____ Distributor: _____

Specs Apply? Yes No Spec/Revision # _____ Spec Date: _____

If yes, please provide copy of spec.

| | | | | |
|-------------|------------|------------|---|--|
| Item | QTY | KVA | TYPE: <input type="checkbox"/> Conventional <input type="checkbox"/> CSP | TANK: <input type="checkbox"/> Mild Steel <input type="checkbox"/> 304 SS <input type="checkbox"/> 409 SS |
| _____ | _____ | _____ | CORE: Amorphous <input type="checkbox"/> Yes <input type="checkbox"/> No | FLUID: <input type="checkbox"/> Mineral Oil <input type="checkbox"/> FR3 |
| _____ | _____ | _____ | PRV: <input type="checkbox"/> STD <input type="checkbox"/> Other _____ | <input type="checkbox"/> Domestic <input type="checkbox"/> Export |
| _____ | _____ | _____ | Evaluated Losses: <input type="checkbox"/> Yes <input type="checkbox"/> No | NL\$ _____ LL\$ _____ |

HIGH VOLTAGE

1 HVB: 4160GY/2400 12470GY/7200 13200GY/7620 13800GY/7970 24940GY/14400 34500GY/19920

2 HVB: 2400/4160Y 7200/12470Y 7620/13200Y 7970/13800Y 14400/24940Y 19920/34500Y

Other: _____ Dual Voltage: _____ BIL: STD Other _____

LOW VOLTAGE

120/240 240/480 277 Other _____

LV Bushings: ANSI STD Other _____

Mounting Provisions: Single Double (Not available with 2 HV Bushings)

TAPS (Not available on Dual Voltage)

None Straddle (2-2.5% Above & Below) 4 Above (2.5% Increments) 4 Below (2.5% Increments)

J-Tap (13.8, 13.2, 12.8, 12.5 KV) Other _____

ACCESSORIES

Lightning Arrester No Provisions Only Yes Primary/Qty: _____ Secondary _____ Other _____

Tank Ground Connector Yes No Wildlife Guard(s) Yes No

Low Voltage Breaker Fuse Signal Light

COMMENTS

Requestor _____ Representative _____

Email _____ Phone _____